

AUTOCLOSE TECHNICAL SPECIFICATIONS




AUTO-CLOSE SPECIFICATIONS

A fully integrated upgrade option that ensures louvres close automatically when the panels are folded.

- Available to order in the following specifications: Craftwood, Pearlwood and Ultra
- All shutter installation styles with bi-fold or multi-fold configurations
- Silent tilt
- All 50.8mm stile options
- Ring-pull will be supplied as standard (you will need to specify ring-pull location in notes section on Gateway)

Minimum louvre quantity when there is only one louvred section (no divider rail/ no split tilt)


Louvre Size	Rail Size	Minimum Louvre qty
2.5"(63.5mm)	<4.25"	6
	>=4.25"	4
3"(76.2mm)	<3.75"	5
	>=3.75"	4
3.5"(89mm)	2.75"~6.5"	4
4.5"(114mm)	2.75"~6.5"	3



Panel with no divider rail/no split tilt

When there is more than one louvred section (with divider rail/ split tilt)

Louvre Size	Rail Size	Minimum Louvre qty
2.5"(63.5mm)	<4.25"	5
	>=4.25"	4
3"(76.2mm)	2.75"~6.5"	4
3.5"(89mm)	2.75"~6.5"	3
4.5"(114mm)	2.75"~6.5"	3



Panel with divider rail or split tilt

Plantation Shutters Ltd
Unit 10 River Reach Business Park
1 Gartons Way
Battersea
London
SW11 3SX
Tel: 020 8871 9222

www.plantation-shutters.co.uk

Emma - Sales Manager
emma@plantation-shutters.co.uk